IMPORTANT : It is the responsibility of the Contractor to check and agree with Frank Fox & Associates all levels, datum and reference points prior to commencement of contract. This drawing shall not be altered or copied without the consent of Frank Fox & Associates.

NOTES:

This drawing is not to be scaled;
Figured dimensions only are to be taken from this drawing.
All setting out dimensions are to be checked and confirmed on site prior to commencement of work.
Any discrepancies encountered to be brought to the attention of Frank Fox & Associates without delay.
IF IN DOUBT ASK.!

KEY

New Sewer
All Foul & Storm Sewer Systems to be Installed as Per Irish Water's Wastewater Infrastructure Connections & Developer Services & Irish Water's IW-CDS-5030-03. Wastewater-Code-of-Practice.

New Foul Sewer
All New Foul Sewer to be UPVC SN8 as Per Irish Water's IW-CDS-5030-03. Section 3.13

New Storm Sewer
All Storm Sewer to be UPVC SN8 as Per Irish Water's IW-CDS-5030-03. Section 3.13

Existing Storm Sewer and Manholes — S.02 7.59 6.04

Existing Storm Sewer Demolished — S.02 7.59 6.04

New Storm Sewer and Manholes — S.02 7.59 6.04

Storm AJ — AJ03

Existing Compined Sewer and Manholes — C.02 7.59 6.04

Existing Foul Sewer and Manholes — F.02 7.59 6.04

Existing Foul Sewer Demolished — F.02 7.59 6.04

New Foul Sewer and Manholes — F.02 7.59 6.04

Foul Inspection Chamber — IC03

Proposed 100Ø Pumped Main

Site Boundary

Tuseday 13th JULY 2021

PLANNING ONLY

THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION PURPOSES

REV	DESCRIPTION	BY	DATE

PROJECT TITLE
WATERFORD COUNCIL.
HOUSING SCHEME,
CAPPOQUIN, CO. WATERFORD

DWG TITLE
DRAIN
PLAN

DRAWN	CHECKED	DATE	SCALES	CAD REF.
T.Downey	R.J.Fox	13.07.2021	1:200	221041-plans.dwg

FRANK FOX & ASSOCIATES
CIVIL & STRUCTURAL CONSULTING ENGINEERS
7 BANK PLACE WATERFORD. IRELAND
TEL 353-51-872799 Fax 353-51-879626
Email design@ffoeng.com

PROJECT No.	DWG No.	REV
221041	DP/01	